

TEST LOG FOR PERIODIC INSPECTIONS & TESTS FOR TRACTION ELEVATORS

Dept. of Labor & Industries
Elevator Section

PO Box 44480 Olympia, WA 98504-4480 ASME A17.1 requires periodic tests on various types of elevator equipment. Owner is responsible for all required tests. Some tests may not be applicable; mark them in the appropriate column with "N/A".

Safety test tags are still to be affixed to the appropriate equipment as required by code. A test log is required for each elevator.

Enter test dates (mm/dd) and name of company performing test in the appropriate test column in the year tested.

State ID#

*Equipment test tags required to be on equipment

Operat	ing Pe	Date						Firefighter's Operation											
Type of Test	1 *Car & Counter- Weight Safeties		2 *Car & Counter- Weight		3	4 Terminal Speed	5 Emergency Power		6 Phase	7 Smoke Detectors	8 Power Door	9 Leveling Zone &	10 Inner Landing	*Oil Buffers when provided		12 Final & Normal	13 Door Closing	14 Broken Rope	15 Door monitorin
			Gove	rnors	Brake	Limiting Device	Ope	ration	1 & 11		Operation	Speed	Zone			Limits	Force	or Chain Switch	g System
Test Interval	Annual	5 Year	Annual	5 Year	5 Year	5 Year	Annual	5 Year	Quarterly	Annual	5 Year	5 Year	5 Year	Annual	5 Year	Annual	Annual	Annual	Annual
A17.1 Rule	1002.2b	1002.3a	1002.2c	1003.3b	1002.3d	1002.3f	1002.2g	1002.3e	1206.7	1002.2f	1002.3g	1002.3h	1002.3i	1002.28	1002.3c	1002.2e	1002.2h	1002.2i	210.14 210.15
						XYZ													
2000						Elev.													
						Co.													
						3/27													
						_													
1001							BLU	E TE	ST LOG - SAMPL										
20 ⁰⁰ 20 ⁰¹ 20 ⁰²																			
200 ³ 200 ⁴																			
.4																			
ANDA																			
Zv																			
•																			

Do Not Remove Test Log From Machine Room. Service Maintenance logs must not be used in lieu of this form.